Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("5958544" "5665478" "6177208").pn.	USPAT	OR	ON	2005/12/30 12:04
L2	98	428/836.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:05
L3	535	(USUKI near1 KAZUYUKI).in. (MORIWAKI near1 KENICHI).in. (KATAYAMA near1 KAZUTOSHI).in. (NAGAO near1 MAKOTO).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:06
L4	57	3 and (Ru ruthenium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:18
L5	34	4 and (oxide "O?sub.$2" oxygen SiO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:27
L6	69	2 and (polymer plastic resin poly$1carbonate$1 poly$1ethylene$1 cellulose)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:26
L7	25	6 and (Ru ruthenium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:27
L8	228387	(magnetic adj (recording medium media tape disk disc ribbon)).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:23
L9	1068	8 and honda.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:23
L10	50	9 and (perpendicular and longitudinal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:24

L11	11200	8 and ((polymer plastic resin poly$1carbonate$1 poly$1ethylene$1 cellulose) with (substrate support))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:26
L12	3954	8 and (Ru ruthenium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:27
L13	15513	8 and ((oxide "O?sub.$2" oxygen SiO) with (magnetic recording ferromagnetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:27
L14	266	11 and 12 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:28
L15	103	14 and @PD<"20010914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:28
L16	97	14 and @PD<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:40
L17	15	2 and ((Ru ruthenium) near4 (under under$1layer$1 intermediate onset primer seed seed$1layer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:41
L18	4	17 not (4 7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:41

IEEE Xplore RELEASE 2.1

Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results BROWSE SEARCH IEEE XPLORE GUIDE

Results for "((oxide<in>metadata) <and> (magnetic<in>metadata))<and> ((ru <or&g..." e-mail
Your search matched 10 of 1286976 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((oxide<in>metadata) <and> (magnetic<in>metadata))<and> ((ru <or> ruthenium »

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

1. **Ru/Ru-oxide interlayer for CoCrPtO perpendicular recording media**
Kwon, U.; Sinclair, R.; Velu, E.M.T.; Malhotra, S.; Bertero, G.;
Magnetics Conference, 2005. INTERMAG Asia 2005. Digests of the IEEE Inte
4-8 April 2005 Page(s):1579 - 1580
AbstractPlus | Full Text: PDF(72 KB) IEEE CNF

2. **Ru/Ru-oxide interlayers for CoCrPtO perpendicular recording media**
Unoh Kwon, Sinclair, R.; Velu, E.M.T.; Malhotra, S.; Bertero, G.;
Magnetics, IEEE Transactions on
Volume 41, Issue 10, Oct. 2005 Page(s):3193 - 3195
Digital Object Identifier 10.1109/TMAG.2005.855281
AbstractPlus | Full Text: PDF(792 KB) IEEE JNL

3. **Characteristics of spin-valve films with non-magnetic oxide layers for spe**
Mizuguchi, T.; Kano, H.;
Magnetics, IEEE Transactions on
Volume 37, Issue 4, Part 1, July 2001 Page(s):1742 - 1744
Digital Object Identifier 10.1109/20.950955
AbstractPlus | References | Full Text: PDF(81 KB) IEEE JNL

4. **Fully integrated 64 Kb MRAM with novel reference cell scheme**
Jeong, H.S.; Jeong, G.T.; Koh, G.H.; Song, I.H.; Park, W.J.; Kim, T.W.; Jeong, Y.N.; Ahn, S.J.; Kim, H.J.; Hong, J.S.; Jeong, W.C.; Lee, S.H.; Park, J.H.; Cho, Song, S.H.; Park, S.O.; Jeong, U.I.; Kim, K.;
Electron Devices Meeting, 2002. IEDM '02. Digest. International
8-11 Dec. 2002 Page(s):551 - 554
Digital Object Identifier 10.1109/IEDM.2002.1175901
AbstractPlus | Full Text: PDF(359 KB) IEEE CNF

5. **CoPtCr-SiO/sub 2/ granular media for high-density perpendicular recordi**
Uwazumi, H.; Enomoto, K.; Sakai, Y.; Takenoiri, S ; Oikawa, T ; Watanabe, S.;
Magnetics, IEEE Transactions on
Volume 39, Issue 4, Part 1, July 2003 Page(s):1914 - 1918
Digital Object Identifier 10.1109/TMAG.2003.813778
AbstractPlus | References | Full Text: PDF(372 KB) IEEE JNL

6. **Great enhancement of the current induced magnetization switching effec**

Scitation Home | AIP Journal Center | Subscriptions | Article Purchases | RSS Feeds | E-mail Alerts | Feed:

Journal of Applied Physics

JAP Home| About JAP| Authors| Librarians| Permissions| Terms of Use| Volume: Page/Article: Retrieve | Se:

Search All Issues: Results List

[New Search] [General Search Help]

[Back to Search Query | Start New Search | Searching Hints]

[1 | 2 | 3 | Next 25]

You were searching for : {((oxide) <and>(magnetic)) <and>((ru OR ruthenium))}
You found 56 out of 90761 (56 returned) Documents 1 - 25 listed on this page

Refine your query if desired:

AND in Abstract/Title/Keywords

Results Sorting Options

Show Most Recent First

Options for selected Articles Add to Favorites

Check Article(s) then ...

Select up to 20 articles at a time.

1. **Structural characterization of nano-oxide layers in PtMn based specular spin valves**
   —Min Zhou, Lifan Chen, Zhitao Diao, Chang-Man Park, and Yiming Huai
   J. Appl. Phys. 97, 10N708 (2005) Full Text: [HTML PDF (618 kB) GZipped PS] Order

2. **Signal-to-media-noise ratio improvement of CoCrPt-SiO_2 granular perpendicular media by stacked Ru**
   —Ryoichi Mukai, Takuya Uzumaki, and Atsushi Tanaka
   J. Appl. Phys. 97, 10N119 (2005) Full Text: [HTML PDF (762 kB) GZipped PS] Order

3. **Effect of MgO and Al_2O_3 on the microstructure and magnetic properties of CoCrPt-oxide perpendicular media**
   —S. H. Park, D. H. Hong, and T. D. Lee
   J. Appl. Phys. 97, 10N106 (2005) Full Text: [HTML PDF (1049 kB) GZipped PS] Order

4. **Kerr measurements on single-domain $SrRuO_3$ thin films**
   —G. Herranz, N. Dix, F. Sánchez, B. Martínez, J. Fontcuberta, M. V. García-Cuenca, C. Ferrater, M. Varela, D. and A. R. Fert
   J. Appl. Phys. 97, 10M321 (2005) Full Text: [HTML PDF (218 kB) GZipped PS] Order

5. **Giant magnetoresistive structures based on CrO_2 with epitaxial RuO_2 as the spacer layer**
   —G. X. Miao, A. Gupta, H. Sims, W. H. Butler, S. Ghosh, and Gang Xiao
   J. Appl. Phys. 97, 10C924 (2005) Full Text: [HTML PDF (190 kB) GZipped PS] Order

6. **High pressure high temperature synthesis and magnetization of magneto-superconducting $RuSr_2$(LnC(Ru-1232) compounds (Ln=Y and Dy)**

Scitation Home | AIP Journal Center | Subscriptions | Article Purchases | RSS Feeds | E-mail Alerts | Feed:

Applied Physics Letters

APL Home| About APL| Authors| Librarians| Permissions| Terms of Use| Volume: Page/Article: Retrieve | Se

Search All Issues: Results List

[New Search] [General Search Help]

[Back to Search Query | Start New Search | Searching Hints]

You were searching for : (((oxide) <and>(magnetic)) <and>((ru <or> ruthenium)))
You found 19 out of 62705 (19 returned) Documents 1 - 19 listed on this page

Options for selected Articles Mark All Articles

Check Article(s) then ...

Select up to 20 articles at a time.

1. **Impact of Ru doping in bilayered manganese oxide $La_{1.2}Sr_{1.8}Mn_2O_7$**
   _Y. Onose, J. P. He, Y. Kaneko, T. Arima, and Y. Tokura
   Appl Phys Lett. 86, 242502 (2005) Full Text: [HTML PDF (72 kB) GZipped PS] Order

2. **Ge/Si quantum-dot metal–oxide–semiconductor field-effect transistor**
   _A. I. Yakimov, A. V. Dvurechenskii, V. V. Kirienko, and A. I. Nikiforov
   Appl. Phys. Lett. 80, 4783 (2002) Full Text: [HTML PDF (119 kB) GZipped PS] Order

3. **Effects of oxide seed and cap layers on magnetic properties of a synthetic spin valve**
   _Tsann Lin and Daniele Mauri
   Appl. Phys. Lett. 78, 2181 (2001) Full Text: [HTML PDF (76 kB) GZipped PS] Order

4. **Strain modification of epitaxial perovskite oxide thin films using structural transitions of ferroelectric B substrate**
   _M. K. Lee, T. K. Nath, C. B. Eom, M. C. Smoak, and F. Tsui
   Appl. Phys. Lett. 77, 3547 (2000) Full Text: [HTML PDF (85 kB) GZipped PS] Order

5. **Assisted tunneling in ferromagnetic junctions and half-metallic oxides**
   _A. M. Bratkovsky
   Appl Phys Lett. 72, 2334 (1998) Full Text: [HTML PDF (103 kB) GZipped PS] Order

6. **Magnetoresistance of epitaxial thin films of ferromagnetic metallic oxide $SrRuO_3$ with different domain**
   _D. B. Kacedon, R. A. Rao, and C. B. Eom
   Appl. Phys. Lett. 71, 1724 (1997) Full Text: [PDF (92 kB) GZipped PS] Order

7. **Growth mechanisms of epitaxial metallic oxide $SrRuO_3$ thin films studied by scanning tunneling micros**
   _R. A. Rao, Q. Gan, and C. B. Eom
   Appl. Phys. Lett. 71, 1171 (1997) Full Text: [PDF (130 kB) GZipped PS] Order

8. **Epitaxial $SrRuO_3$ thin films on (001) $SrTiO_3$**

SCIENCE DIRECT Register or Login: user name Password: Go Athens/Institution Log

Home Search Journals Books Abstract Databases My Profile Alerts Help

Quick Search: within All Full-text Sources Go Search Tips

results 1 - 85

85 Articles Found

TITLE-ABSTR-KEY(magnetic AND oxide) and TITLE-ABSTR-KEY((ru OR ruthenium))

Edit Search | Save Search | Save as Search Alert Search Withi

Article List Partial Abstracts Full Abstracts

display checked docs e-mail articles export citations Sort By: Date Go

1. **Influence of ruthenium ions on the precipitation of α-FeOOH, α-Fe_2O_3 and Fe_3O_4 in highly alkaline media** • ARTICLE
Journal of Alloys and Compounds, In Press, Corrected Proof, Available online 27 October 2005,
Stjepko Krehula and Svetozar Musić
SummaryPlus | Full Text + Links | PDF (741 K)

2. **Observation of spin reorientation in layered manganites $La_{1.2}Sr_{1.8}(Mn_{1-y}Ru_y)_2O_7$ ($0.0 \leqslant y \leqslant 0.2$) by Lorentz transmission electron microscopy** • ARTICLE
Journal of Magnetism and Magnetic Materials, In Press, Corrected Proof, Available online 21 October 2005,
X.Z. Yu, M. Uchida, Y. Onose, J.P. He, Y. Kaneko, T. Asaka, K. Kimoto, Y. Matsui, T. Arima and Y. Tokura
SummaryPlus | Full Text + Links | PDF (330 K)

3. **Epitaxial growth of ruthenium dioxide films by chemical vapor deposition and its comparison with similarly grown chromium dioxide films** • ARTICLE
Thin Solid Films, Volume 478, Issues 1-2, 1 May 2005, Pages 159-163
G.X. Miao, A. Gupta, Gang Xiao and A. Anguelouch
SummaryPlus | Full Text + Links | PDF (525 K)

4. **Modification of TiO_2 semiconductor with molecules bearing functional phosphonic groups: a ^{31}P solid state NMR study** • ARTICLE
Journal of Materials Processing Technology, Volume 161, Issues 1-2, 10 April 2005, Pages 276-281
P. Falaras, I.M. Arabatzis, T. Stergiopoulos, G. Papavassiliou and M. Karagianni
Abstract

5. **Flux growth and physical properties of pyrochlore $Pb_2Ru_2O_{6.5}$ single crystals** • ARTICLE
Journal of Crystal Growth, Volume 271, Issues 3-4, 15 November 2004, Pages 445-449
T. Akazawa, Y. Inaguma, T. Katsumata, K. Hiraki and T. Takahashi

Results for Search Question:

magnetic recording AND (oxide or oxygen) AND (ru or ruthenium) AND (under OR underlayer OR intermediate OR primer OR seed OR seedlayer)

110 answers in CAplus
0 answers in CEABA-VTB
6 answers in COMPENDEX
Error searching in ENERGY
9 answers in INSPEC
7 answers in PASCAL
3 answers in SCISEARCH
135 total hits
[Hide Database Info.]

Too many answers? Refine Your Search Show Duplicates

	Titles from CAplus in Most Recent Order | Best Match Order
1	Method for forming a magnetic tunneling junction MRAM device and a tunneling magnetoresisiive read head [$4.40]
2	Soft magnetic thin films with high magnetization, their manufacture, and magnetic heads using them [$4.40]
3	Granular thin film, perpendicular **magnetic recording** medium employing granular thin film, and **magnetic recording** apparatus [$4.40]
4	Production of vertical **magnetic recording** media, and **magnetic recording** apparatus [$4.40]
5	Interlayers for perpendicular recording media [$4.40]
6	Thermally isolated granular media for heat assisted **magnetic recording** [$4.40]
7	Vertical **magnetic recording** materials having granular structures and method for their manufacture [$4.40]
8	High-density **magnetic recording** materials [$4.40]
9	Perpendicular **magnetic recording** medium and a method for manufacturing the same [$4.40]
10	Perpendicular **magnetic recording** media and **magnetic** storage apparatus using the same [$4.40]
11	Perpendicuair **magnetic recording** disks and apparatus [$4.40]
12	High-performance perpendicular **magnetic recording** media with good heat resistance and recording apparatus therewith [$4.40]
13	Signal-to-media-noise ratio improvement of CoCrPt-SiO2 granular perpendicular media by stacked **Ru underlayer** [$4.40]
14	Effect of MgO and Al2O3 on the microstructure and **magnetic** properties of CoCrPt-**oxide** perpendicular **recording** media [$4.40]
15	Perpendicular **magnetic recording** medium, manufacturing method therefor, and **magnetic** read/write apparatus using the same [$4.40]
16	**Magnetic recording** medium [$4.40]
17	Perpendicular **magnetic recording** medium and manufacturing of the same [$4.40]
18	**Magnetic** tapes with CoNiPtO-type **magnetic** films for high-density **recording** [$4.40]